

CORRECTION

Open Access



Correction to: Capsular extension at ultrasound is associated with lateral lymph node metastasis in patients with papillary thyroid carcinoma: a retrospective study

Lei Ye^{1*†}, Lei Hu^{1†}, Weiyong Liu^{1*}, Yuanyuan Luo², Zhe Li¹, Zuopeng Ding¹, Chunmei Hu¹, Lin Wang¹, Yajuan Zhu¹, Le Liu¹, Xiaopeng Ma³, Yuan Kong³ and Liangliang Huang⁴

Correction to: BMC Cancer 21 (2021)

<https://doi.org/10.1186/s12885-021-08875-5>

Following publication of the original article [1], the authors identified an error in affiliation 1.

The correct affiliation 1 is:

Department of Ultrasound, the First Affiliated Hospital of USTC, Division of Life Science and Medicine, University of Science and Technology of China, No. 1, Tianehu Road, Hefei 230036, Anhui, China

Published online: 21 February 2022

Reference

1. Ye L, et al. Capsular extension at ultrasound is associated with lateral lymph node metastasis in patients with papillary thyroid carcinoma: a retrospective study. *BMC Cancer*. 2021;21:1–8. <https://doi.org/10.1186/s12885-021-08875-5>.

Author details

¹Department of Ultrasound, the First Affiliated Hospital of USTC, Division of Life Science and Medicine, University of Science and Technology of China, No. 1, Tianehu Road, Hefei 230036, Anhui, China. ²Department of Laboratory, Division of Life Science and Medicine, the First Affiliated Hospital of USTC, University of Science and Technology of China, Hefei 230036, Anhui, China. ³Department of Surgery, Division of Life Science and Medicine, the First Affiliated Hospital of USTC, University of Science and Technology of China, Hefei 230036, Anhui, China. ⁴Department of Pathology, Division of Life Science and Medicine, The First Affiliated Hospital of USTC, University of Science and Technology of China, Hefei 230036, Anhui, China.

The original article can be found online at <https://doi.org/10.1186/s12885-021-08875-5>.

*Correspondence: 812449265@qq.com; lwy_ultras@126.com

†Lei Ye and Lei Hu contributed equally to this work.

¹ Department of Ultrasound, the First Affiliated Hospital of USTC, Division of Life Science and Medicine, University of Science and Technology of China, No. 1, Tianehu Road, Hefei 230036, Anhui, China

Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.