CORRECTION



Correction: Associations between detectable circulating tumor DNA and tumor glucose uptake measured by ¹⁸F-FDG PET/CT in early-stage non-small cell lung cancer

Anine Larsen Ottestad^{1,2*}, Håkon Johansen³, Tarje Onsøien Halvorsen^{1,2}, Hong Yan Dai^{1,4}, Sissel Gyrid Freim Wahl^{1,4}, Elisabeth Fritzke Emdal⁴ and Bjørn Henning Grønberg^{1,2}

Correction: BMC Cancer 23, 646 (2023) https://doi.org/10.1186/s12885-023-11147-z

Following publication of the original article [1], the authors identified a typesetting error. Supplementary Material Fig. S2 was erroneously published as Fig. 2. The correct Fig. 2 is published in this correction article and the original article [1] has been corrected.

The online version of the original article can be found at https://doi. org/10.1186/s12885-023-11147-z.

*Correspondence: Anine Larsen Ottestad anine.ottestad@gmail.com ¹Department of Clinical and Molecular Medicine, Faculty of Medicine and Health Sciences, Norwegian University of Science and Technology (NTNU), Trondheim 7030, Norway ²Department of Oncology, St. Olavs Hospital, Trondheim University Hospital, Trondheim 7030, Norway ³Department of Radiology and Nuclear Medicine, St. Olavs Hospital, Trondheim University Hospital, Trondheim 7030, Norway ⁴Department of Pathology, Clinic of Laboratory Medicine, St. Olavs

Hospital, Trondheim University Hospital, Trondheim 7030, Norway



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.






Fig. 2 MTV, TLG, SUVmax and the ctDNA quantity, measured as the highest variant allele frequency

Published online: 20 July 2023

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

References

 Ottestad A, Johansen H, Halvorsen TO, et al. Associations between detectable circulating tumor DNA and tumor glucose uptake measured by ¹⁸F-FDG PET/CT in early-stage non-small cell lung cancer. BMC Cancer. 2023;23:646. https://doi.org/10.1186/s12885-023-11147-z.